





Knowledge of nursing professionals about the use of personal protection equipment in the administration of antineoplastic chemotherapy



Scrossref 😈 10.56238/homeinternationalanais-135

Poliana Silva de Brito

Hospital das Clínicas of Pernambuco - HC/UFPE

Nataniele de Albuquerque

Hospital

Tainan de Andrade Rocha

University Hospital Professor Alberto Antunes – HUPAA

Clebiana Alves e silva Diniz

University Hospital Professor Alberto Antunes – HUPAA

Julia Maria Pacheco Lins Magalhães

University Hospital Professor Alberto Antunes – HUPAA

ABSTRACT

XXX

Keywords: Chemotherapy, Occupational hazards, Personal protective equipment, Worker's health.

1 INTRODUCTION

The professional who handles antineoplastic chemotherapy without the proper use of Personal Protective Equipment (PPE) is at risk of presenting from simple symptoms such as headache, dizziness, vomiting, alopecia, allergic reactions and mucosal changes, to more serious effects, such as: mutagenicity, carcinogenicity and teratogenicity caused by improper absorption of these substances.

These antineoplastic drugs can be improperly absorbed by professionals who work directly with them without the use of safety measures, through the inhalation of aerosols, direct contact with the skin and mucous membranes, through the excreta of patients who receive chemotherapy and through the ingestion of drugs, and food contaminated by residues, all these forms of contamination can bring changes to the health of the worker. Therefore, the study aims to investigate the knowledge of nursing professionals about the use of personal protective equipment (PPE) in the administration of antineoplastic chemotherapy.

2 METHODOLOGY

This is a cross-sectional study, with a quantitative approach, of the descriptive-exploratory type. The sample was intentional, consisting of 22 professionals who are members of the nursing staff of the







chemotherapy unit of a university hospital in Recife-PE. It is worth noting the fact that all employees participated in the study.

3 CONCLUSION

To protect professionals while handling chemotherapy drugs and excreta from patients undergoing chemotherapy, it is considered essential to adopt measures to prevent occupational risk, aimed at protecting the physical integrity of workers. Therefore, it is extremely important to use PPE when handling chemotherapy. For this purpose, Law n° 6.514/77, Section IV art. 166, obliges the company to provide the appropriate PPE for work, and in accordance with NR 32 – Regulatory standard that provides for safety and health at work in health services, it is prohibited to start any activity without the use of PPE.

Regarding the administration of antineoplastic drugs, the nursing team demonstrated knowledge of the appropriate PPE that should be used. Despite this, there was a deficit in the knowledge of these professionals regarding the identification of adequate clothing during the removal of the antineoplastic, indicating the need for a more detailed approach to the subject. Thus, it is concluded that it is necessary to sensitize professionals to use such equipment, encouraging them through continuous training, since among the security measures, PPE are fundamental pieces in risk prevention.







REFERENCES

Cordeiro, j. P. B. Risco ocupacional relacionado à administração de quimioterapia antineoplásica: revisão sistemática.2019. 39p. Dissertação (mestrado programa de pós-graduação em ciências - área de concentração: oncologia). Fundação antônio prudente, são paulo. Disponível em: https://docs.bvsalud.org/biblioref/2019/07/1006643/jpbcordeiro.pdf. Acesso em: 12 dez. 2022.

Theodoro, d.f. et al. Riscos toxicológicos da exposição ocupacional a fármacos antineoplásicos: uma revisão. In: congresso internacional das ciências da saúde, 1., 2019, recife. Apresentação: comunicação oral... Disponível em: https://doi.org/10.31692/icointerpdvs.2019.0007. Acesso em: 12 dez. 2022.

Occupational health and safety administration. Us department of labor. Osha tecnical manual. Section vi: chapter 2 "controlling occupational exposure to hazardous drugs". Washington, dc. Disponível em: http://www.osha.gov./dts/osta/otm/otm_vi/otm_vi_2.html#5 acesso em: 14 dez. 2022.

Brasil. Ministério do trabalho e emprego. Portaria no 485, de 11 de novembro de 2005. Aprova a norma regulamentadora n.º 32 (segurança e saúde no trabalho em estabelecimentos de saúde). Diário oficial da união, brasília, df, 16 nov. 2005. Seção i. Disponível em: http://www.mte.gov.br/legislacao/normas_regulamentadoras hyperlink "http://www.mte.gov.br/legislacao/%20%09normas_regulamentadoras/nr_32.pdf." hyperlink "http://www.mte.gov.br/legislacao/%20%09normas_regulamentadoras/nr_32.pdf." hyperlink "http://www.mte.gov.br/legislacao/%20%09normas_regulamentadoras/nr_32.pdf." Acesso em: 14 dez. 2022